

# Groundwater Sustainability Plan

**JUNE 2019** 







This page intentionally left blank.

# **Cuyama Valley Groundwater Basin**

# Draft Groundwater Sustainability Plan









### **Table of Contents**

| EXE | CUTI | VE SU   | MMARY  | ES-1 |
|-----|------|---------|--|------|
| 1.  | AGE  | NCY IN  | NFORMATION, PLAN AREA, AND COMMUNICATION                           | 1-1  |
|     | 1.1  | Introdu | uction and Agency Information                                      | 1-1  |
|     |      | 1.1.1   | Contact Information  | 1-2  |
|     |      | 1.1.2   | Management Structure   | 1-2  |
|     |      | 1.1.3   | Legal Authority  | 1-3  |
|     | 1.2  | Plan A  | vrea   | 1-3  |
|     |      | 1.2.1   | Plan Area Definition   | 1-3  |
|     |      | 1.2.2   | Plan Area Setting  |      |
|     |      | 1.2.3   | Existing Surface Water Monitoring Programs                         | 1-27 |
|     |      | 1.2.4   | Existing Groundwater Monitoring Programs                           | 1-29 |
|     |      | 1.2.5   | Existing Water Management Programs                                 | 1-32 |
|     |      | 1.2.6   | General Plans in Plan Area   | 1-34 |
|     |      | 1.2.7   | Plan Elements from CWC Section 10727.4                             |      |
|     | 1.3  | Notice  | and Communication  | 1-46 |
|     |      | 1.3.1   | Description of Beneficial Uses and Users of Groundwater            | 1-46 |
|     |      | 1.3.2   | List of Public Meetings Where the GSP was Discussed                | 1-50 |
|     |      | 1.3.3   | Comments Regarding the GSP Received by the CBGSA, Response         |      |
|     |      |         | Summary  | 1-50 |
|     |      | 1.3.4   | GSA Decision Making Process  | 1-51 |
|     |      | 1.3.5   | Opportunities for Public Engagement and How Public Input was Used. | 1-52 |
|     |      | 1.3.6   | How GSA Encourages Active Involvement                              | 1-54 |
|     |      | 1.3.7   | Method of Informing the Public                                     |      |
|     | 1.4  | Refere  | ences  | 1-55 |
| 2.  | BAS  | IN SET  | TINGS: OVERVIEW  | 2-1  |
|     | 2.1  | Basin   | Settings: HCM  | 2-1  |
|     |      | 2.1.1   | Useful Terms   | 2-1  |
|     |      | 2.1.2   | Regional Geologic and Structural Setting                           | 2-3  |
|     |      | 2.1.3   | Geologic History   | 2-5  |
|     |      | 2.1.4   | Geologic Formations/Stratigraphy                                   | 2-6  |
|     |      | 2.1.5   | Faults and Structural Features                                     | 2-17 |
|     |      | 2.1.6   | Basin Boundaries   | 2-25 |
|     |      | 2.1.7   | Principal Aquifers and Aquitards                                   | 2-26 |
|     |      | 2.1.8   | Natural Water Quality Characterization                             | 2-34 |
|     |      | 2.1.9   | Topography, Surface Water and Recharge                             | 2-38 |





|    |     | 2.1.10  | Hydrogeologic Conceptual Model Data Gaps     | 2-45  |
|----|-----|---------|--|-------|
|    | 2.2 | Basin   | Settings: Groundwater Conditions             | 2-45  |
|    |     | 2.2.1   | Useful Terms                                 | 2-48  |
|    |     | 2.2.2   | Groundwater Elevation Data Processing        | 2-49  |
|    |     | 2.2.3   | Groundwater Trends                           | 2-59  |
|    |     | 2.2.4   | Change in Groundwater Storage                | 2-94  |
|    |     | 2.2.5   | Seawater Intrusion                           | 2-95  |
|    |     | 2.2.6   | Land Subsidence                              | 2-95  |
|    |     | 2.2.7   | Groundwater Quality                          | 2-98  |
|    |     | 2.2.8   | Interconnected Surface Water Systems         | 2-112 |
|    |     | 2.2.9   | Groundwater Dependent Ecosystems             | 2-117 |
|    |     |         | Data Gaps                                    |       |
|    | 2.3 | Basin   | Settings: Water Budget                       | 2-121 |
|    | 2.4 | Refere  | ences  | 2-142 |
|    |     | 2.4.1   | HCM References                               | 2-142 |
|    |     | 2.4.2   | Groundwater Conditions References            | 2-145 |
| 3. | UNE |         | BLE RESULTS                                  |       |
|    | 3.1 | Sustai  | nability Goal                                | 3-1   |
|    | 3.2 | Undes   | sirable Results Statements                   | 3-1   |
|    |     | 3.2.1   | Chronic Lowering of Groundwater Levels       | 3-2   |
|    |     | 3.2.2   | Reduction of Groundwater Storage             | 3-3   |
|    |     | 3.2.3   | Seawater Intrusion                           | 3-3   |
|    |     | 3.2.4   | Degraded Water Quality                       | 3-4   |
|    |     | 3.2.5   | Land Subsidence                              | 3-4   |
|    |     | 3.2.6   | Depletions of Interconnected Surface Water   | 3-5   |
|    | 3.3 | Evalua  | ation of the Presence of Undesirable Results | 3-6   |
|    |     | 3.3.1   | Chronic Lowering of Groundwater Levels       | 3-6   |
|    |     | 3.3.2   | Reduction of Groundwater Storage             | 3-6   |
|    |     | 3.3.3   | Seawater Intrusion                           | 3-7   |
|    |     | 3.3.4   | Degraded Water Quality                       | 3-7   |
|    |     | 3.3.5   | Land Subsidence                              | 3-7   |
|    |     | 3.3.6   | Depletions of Interconnected Surface Water   | 3-8   |
|    | 3.4 | Refere  | ences  | 3-8   |
| 4. | MOI | NITORII | NG NETWORKS                                  | 4-1   |
|    | 4.1 | Useful  | l Terms                                      | 4-1   |
|    |     | 4.1.1   | Well-Related Terms                           | 4-2   |





|     | 4.1.2   | Other Terms  | 4-2  |
|-----|---------|--|------|
| 4.2 | Monito  | oring Network Objectives                                       | 4-3  |
|     | 4.2.1   | Basin Conditions Relevant to Measurement Density and Frequency | 4-4  |
| 4.3 | Existir | ng Monitoring Used   | 4-6  |
|     | 4.3.1   | Groundwater Level Monitoring                                   | 4-6  |
|     | 4.3.2   | Overlapping and Duplicate Data                                 | 4-22 |
|     | 4.3.3   | Groundwater Quality Monitoring (Combined Existing Programs)    | 4-22 |
|     | 4.3.4   | Subsidence Monitoring  |      |
|     | 4.3.5   | Surface Water Monitoring                                       | 4-33 |
| 4.4 | Monito  | oring Rationales   | 4-35 |
| 4.5 | Groun   | dwater Level Monitoring Network                                | 4-35 |
|     | 4.5.1   | Monitoring Wells Selected for Monitoring Network               | 4-35 |
|     | 4.5.2   | Monitoring Frequency   | 4-39 |
|     | 4.5.3   | Spatial Density  | 4-40 |
|     | 4.5.4   | Representative Monitoring                                      | 4-41 |
|     | 4.5.5   | Groundwater Level Monitoring Network                           | 4-42 |
|     | 4.5.6   | Monitoring Protocols   |      |
|     | 4.5.7   | Data Gaps  | 4-48 |
|     | 4.5.8   | Plan to Fill Data Gaps   | 4-48 |
| 4.6 | Groun   | dwater Storage Monitoring Network                              | 4-50 |
| 4.7 | Seawa   | ater Intrusion Monitoring Network                              | 4-50 |
| 4.8 | Degra   | ded Groundwater Quality Monitoring Network                     | 4-50 |
|     | 4.8.1   | Management Areas   | 4-50 |
|     | 4.8.2   | Monitoring Sites Selected for Monitoring Network               | 4-51 |
|     | 4.8.3   | Monitoring Frequency   | 4-51 |
|     | 4.8.4   | Spatial Density  | 4-51 |
|     | 4.8.5   | Representative Monitoring                                      | 4-52 |
|     | 4.8.6   | Groundwater Quality Monitoring Network                         | 4-52 |
|     | 4.8.7   | Monitoring Protocols   | 4-58 |
|     | 4.8.8   | Data Gaps  | 4-58 |
|     | 4.8.9   | Plan to Fill Data Gaps   | 4-60 |
| 4.9 | Land    | Subsidence Monitoring Network                                  | 4-60 |
|     | 4.9.1   | Management Areas   | 4-60 |
|     | 4.9.2   | Monitoring Sites Selected for Monitoring Network               | 4-60 |
|     | 4.9.3   | Monitoring Frequency   | 4-60 |
|     | 4.9.4   | Spatial Density  | 4-61 |





|    |      | 4.9.5   | Monitoring Protocols  | 4-63 |
|----|------|---------|---|------|
|    |      | 4.9.6   | Data Gaps   | 4-63 |
|    |      | 4.9.7   | Plan to Fill Data Gaps  | 4-63 |
|    | 4.10 | Deplet  | tions of Interconnected Surface Water Monitoring Network            | 4-66 |
|    | 4.11 | Refere  | ences   | 4-66 |
| 5. | MINI | MUM T   | THRESHOLDS, MEASURABLE OBJECTIVES,                                  |      |
|    | AND  |         | RIM MILESTONES  |      |
|    | 5.1  |         | Terms   |      |
|    | 5.2  | Chron   | ic Lowering of Groundwater Levels                                   |      |
|    |      | 5.2.1   | Threshold Regions   | 5-2  |
|    |      | 5.2.2   | Minimum Thresholds, Measurable Objectives, and Interim Milestones.  | 5-6  |
|    |      | 5.2.3   | Selected MT, MO, and IM Graphs, Figures, and Tables                 |      |
|    | 5.3  | Reduc   | ction of Groundwater Storage  | 5-15 |
|    |      | 5.3.1   | Threshold Regions   |      |
|    |      | 5.3.2   | Proxy Monitoring  |      |
|    | 5.4  |         | ater Intrusion  |      |
|    | 5.5  | Degra   | ded Water Quality   | 5-15 |
|    |      | 5.5.1   | Threshold Regions   | 5-16 |
|    |      | 5.5.2   | Proxy Monitoring  | 5-18 |
|    |      | 5.5.3   | Minimum Thresholds, Measurable Objectives, and Interim Milestones . | 5-18 |
|    | 5.6  | Subsid  | dence   |      |
|    |      | 5.6.1   | Threshold Regions   | 5-23 |
|    |      | 5.6.2   | Representative Monitoring   | 5-23 |
|    |      | 5.6.3   | Minimum Thresholds, Measurable Objectives, and Interim Milestones . | 5-23 |
|    | 5.7  | Deplet  | tions of Interconnected Surface Water                               | 5-26 |
|    | 5.8  | Refere  | ences   | 5-26 |
| 6. | DAT  | A MAN   | IAGEMENT SYSTEM   | 6-1  |
|    | 6.1  | DMS (   | Overview  | 6-1  |
|    | 6.2  | DMS F   | =unctionality   | 6-2  |
|    |      | 6.2.1   | User and Data Access Permissions                                    | 6-2  |
|    |      | 6.2.2   | Data Entry and Validation   | 6-4  |
|    |      | 6.2.3   | Visualization and Analysis  | 6-7  |
|    |      | 6.2.4   | Query and Reporting   | 6-8  |
|    | 6.3  | Data I  | ncluded in the DMS  | 6-9  |
| 7. | PRO  | JECTS   | S AND MANAGEMENT ACTIONS  | 7-1  |
|    | 2.1  | Introdu | uction  | 7-1  |
|    | 2.2  | Manag   | gement Areas  | 7-1  |





|    | 7.1  | Overv   | iew of Projects and Management Actions                      | 7-3  |
|----|------|---------|---|------|
|    |      | 7.1.1   | Addressing Sustainability Indicators                        | 7-4  |
|    |      | 7.1.2   | Overdraft Mitigation  | 7-7  |
|    |      | 7.1.3   | Water Balance Management for Drought Preparedness           | 7-7  |
|    | 7.2  | Projec  | ets   | 7-7  |
|    |      | 7.2.1   | Flood and Stormwater Capture                                |      |
|    |      | 7.2.2   | Precipitation Enhancement                                   | 7-12 |
|    |      | 7.2.3   | Water Supply Transfers/Exchanges                            | 7-17 |
|    |      | 7.2.4   | Improve Reliability of Water Supplies for Local Communities | 7-19 |
|    | 7.3  | Water   | Management Actions  | 7-22 |
|    |      | 7.3.1   | Basin-Wide Economic Analysis                                | 7-22 |
|    |      | 7.3.2   | Pumping Allocations in Central Basin Management Area        | 7-24 |
|    | 7.4  | Adapt   | ive Management  | 7-28 |
|    | 7.5  | Refere  | ences   | 7-29 |
| 8. | IMPI | LEMEN   | ITATION PLAN  | 8-1  |
|    | 8.1  | Plan lı | mplementation   | 8-1  |
|    |      | 8.1.1   | Implementation Schedule                                     | 8-1  |
|    | 8.2  | Impler  | mentation Costs and Funding Sources                         | 8-3  |
|    |      | 8.2.1   | GSP Implementation and Funding                              | 8-4  |
|    |      | 8.2.2   | Projects and Management Actions                             | 8-4  |
|    | 8.3  | Annua   | al Reports  | 8-7  |
|    |      | 8.3.1   | General Information   | 8-7  |
|    |      | 8.3.2   | Basin Conditions  | 8-7  |
|    |      | 8.3.3   | Plan Implementation Progress                                | 8-8  |
|    | 8.4  | Five-Y  | ear Evaluation Report                                       | 8-8  |
|    |      | 8.4.1   | Sustainability Evaluation                                   | 8-8  |
|    |      | 8.4.2   | Plan Implementation Progress                                | 8-8  |
|    |      | 8.4.3   | Reconsideration of GSP Elements                             | 8-8  |
|    |      | 8.4.4   | Monitoring Network Description                              | 8-9  |
|    |      | 8.4.5   | New Information   | 8-9  |
|    |      | 8.4.6   | Regulations or Ordinances                                   | 8-9  |
|    |      | 8.4.7   | Legal or Enforcement Actions                                | 8-9  |
|    |      | 8.4.8   | Plan Amendments   | 8-9  |
|    |      | 8.4.9   | Coordination  | 8-9  |





### **Tables**

| Table 1-1: USGS Surface Flow Gages in the Cuyama Basin  | 1-27   |
|---|--------|
| Table 1-2: Plan Elements from CWC Section 10727.4   |        |
| Table 2-1: Summary of Hydraulic Conductivities in Aquifer Formations  | 2-30   |
| Table 2-2: Stream Depletion by Reach  | 2-115  |
| Table 2-3: Summary of Groundwater Budget Assumptions  | 2-127  |
| Table 2-4: Average Annual Land Surface Water Budget   | 2-129  |
| Table 2-5: Average Annual Groundwater Budget  | 2-130  |
| Table 2-6: Current and Projected Average Annual Supply, Demand, and Change in  Groundwater Storage by Water Year Type | .2-137 |
| Table 2-7: Average Annual Groundwater Budget for Sustainability Scenarios   | 2-142  |
| Table 4-1: Well Identification Matrix   | 4-22   |
| Table 4-2: Number of Wells Selected for Monitoring Network  | 4-37   |
| Table 4-3: Monitoring frequency Based on Aquifer Properties and Degree of Use   | 4-39   |
| Table 4-4: Monitoring Well Density Considerations   | 4-40   |
| Table 4-5: Wells included in the Groundwater Levels and Storage Monitoring Network                                    | 4-43   |
| Table 4-6: Groundwater Quality Monitoring Sites by Source   | 4-51   |
| Table 4-7: Wells Included in the Groundwater Quality Monitoring Network   | 4-53   |
| Table 5-1: Representative Monitoring Network and Sustainability Criteria  | 5-11   |
| Table 5-2: MOs, MTs, and Interim Milestones for Groundwater Quality Representative Site                               |        |
| TDS   |        |
| Table 6-1: Data Management System User Types/Access   |        |
| Table 6-2: Data Collection Site Information   | 6-5    |
| Table 6-3: Data Types and Their Associated Parameters Configured in the DMS   | 6-10   |
| Table 6-4: Sources of Data Included in the Data Management System   | 6-12   |
| Table 7-1: Proposed Projects, Management Actions, and Adaptive Management Strategie                                   | s7-3   |
| Table 7-2: Summary of How Projects and Management Actions Address Sustainability                                      |        |
| Indicators  |        |
| Table 8-1: CBGSA and GSP Implementation Costs   | 8-3    |
| Table 8-2: Financing Options for Proposed Projects, Management Actions, and Adaptive  Management Strategies           | 8-6    |





## **Figures**

| Figure 1-1: Cuyama Valley Groundwater Basin                           | 1-5  |
|---|------|
| Figure 1-2: Cuyama Valley Groundwater Sustainability Agency Boundary  | 1-6  |
| Figure 1-3: Neighboring Groundwater Basins                            | 1-10 |
| Figure 1-4: Counties Overlying Cuyama Basin                           | 1-11 |
| Figure 1-5: Non-County Jurisdictional Boundaries                      | 1-12 |
| Figure 1-6: 1996 Land Use   | 1-13 |
| Figure 1-7: 2000 Land Use   | 1-14 |
| Figure 1-8: 2003 Land Use   | 1-15 |
| Figure 1-9: 2006 Land Use   | 1-16 |
| Figure 1-10: 2009 Land Use  | 1-17 |
| Figure 1-11: 2012 Land Use  | 1-18 |
| Figure 1-12: 2014 Land Use  |      |
| Figure 1-13: 2016 Land Use  | 1-20 |
| Figure 1-14: Land Use by Water Source                                 |      |
| Figure 1-15: Domestic Well Density and Average Depths                 | 1-22 |
| Figure 1-16: Production Well Density and Average Depths               | 1-23 |
| Figure 1-17: Public Well Density and Average Depths                   | 1-24 |
| Figure 1-18: Federal and State Lands                                  | 1-25 |
| Figure 1-19: Regional Watersheds                                      |      |
| Figure 1-20: Surface Stream Flow Gages                                | 1-28 |
| Figure 1-21: Topics and Decision Process for GSP Development          | 1-52 |
| Figure 2-1: Regional Geologic Setting                                 | 2-4  |
| Figure 2-2: Geologic Map  | 2-7  |
| Figure 2-3: Generalized Stratigraphic Column of the Cuyama Valley     | 2-9  |
| Figure 2-4: Generalized Stratigraphic Diagram                         | 2-9  |
| Figure 2-5: Location of USGS 2015 Cross Sections                      | 2-14 |
| Figure 2-6: USGS Cross Section A-A'                                   | 2-15 |
| Figure 2-7: USGS Cross Section B-B'                                   | 2-16 |
| Figure 2-8: Major Faults  | 2-19 |
| Figure 2-9: Geology with DeLong Overlay                               | 2-24 |
| Figure 2-10: Location of Aquifer Testing Well Sites                   | 2-33 |
| Figure 2-11: Location of USGS 2013 Groundwater Quality Sampling Sites | 2-35 |
| Figure 2-12: Piper Diagram for Well CVKR1-4                           | 2-36 |
| Figure 2-13: Location Map for Samples Used in Figure 2-12             | 2-36 |
| Figure 2-14: Piper Diagram of USGS 2013 Water Quality Sampling        | 2-37 |
|   |      |





| Figure 2-15: | Location Map of USGS 2013 Sampling   | 2-37          |
|--------------|--|---------------|
| Figure 2-16: | Topography   | 2-39          |
| Figure 2-17: | Surface Water  | 2-40          |
| Figure 2-18: | Recharge Areas and Springs   | 2-42          |
| Figure 2-19: | Soils by Permeability  | 2-43          |
| Figure 2-20: | Soils by Hydrologic Group  | 2-44          |
| Figure 2-21: | Cuyama Basin Landmarks   | 2-47          |
| Figure 2-22: | Cuyama Basin Wells with Monitoring Well provided by DWR                          | 2-51          |
| Figure 2-23: | Cuyama Basin Wells with Monitoring Data provided by USGS                         | 2-52          |
| Figure 2-24: | Cuyama Basin Wells with Monitoring Data provided by Local Agencies               | 2-53          |
| Figure 2-25: | Cuyama Basin Wells with Monitoring Data provided by Private Landowners           | 2-55          |
| Figure 2-26: | Cuyama Basin Wells by Last Measurement Date                                      | 2-56          |
| Figure 2-27: | Central Cuyama Basin Wells and Hydrographs by Data Source                        | 2-57          |
| Figure 2-28: | Western Cuyama Basin Wells and Hydrographs by Data Source                        | 2-58          |
| Figure 2-29: | Water Level Drawdown Contours, 1966 to 1947                                      | 2-60          |
| Figure 2-30: | 1966 Water Level Contours  | 2-61          |
| Figure 2-31: | Cuyama Groundwater Basin Hydrographs   | 2-64          |
| Figure 2-32: | Cuyama Groundwater Basin Hydrographs in the Ventucopa Area of the Basin .        | 2-65          |
| Figure 2-33: | Cuyama Groundwater Basin Historical Hydrographs in the Central Basin             | 2-66          |
| Figure 2-34: | Cuyama Groundwater Basin Hydrographs in the Central Portion of the Basin         | 2-67          |
| Figure 2-35: | Cuyama Groundwater Basin Hydrographs in the Westside Area of the Basin           | 2-68          |
| Figure 2-36: | Hydrographs of CVFR1-4   | 2-71          |
| Figure 2-37: | Hydrographs of CVBR1-4   | 2-72          |
| Figure 2-38: | Hydrographs of CVKR1-4   | 2-73          |
| Figure 2-39: | Cuyama Basin Wells by Groundwater Surface Elevation in Spring 2018               | 2-76          |
| Figure 2-40: | Cuyama Basin Wells by Depth to Water in Spring 2018                              | 2-77          |
| Figure 2-41: | Fall 2017 Groundwater Elevation Contours   | 2-79          |
| Figure 2-42: | Fall 2017 Depth to Water Contours  | 2-81          |
| Figure 2-43: | Spring 2017 Groundwater Elevation Contours                                       | 2-83          |
| Figure 2-44: | Spring 2017 Depth to Water Contours  | 2-85          |
| Figure 2-45: | Spring 2015 Groundwater Elevation Contours                                       | 2-87          |
| Figure 2-46: | Spring 2015 Depth to Water Contours  | 2-89          |
| Figure 2-47: | Fall 2014 Groundwater Elevation Contours   | 2-91          |
| Figure 2-48: | Fall 2014 Depth to Water Contours  | 2-93          |
| Figure 2-49: | Cuyama Groundwater Storage by Year, Water Year Type, and Cumulative Water Volume | 2 <b>-</b> 04 |
|              | 4114 Januarativo vvator volatio  |               |





| Figure 2-50: Locations of Continuous GPS and Reference InSAR Sites                  | 0.00   |
|---|--------|
| in the Cuyama Valley  |        |
| Figure 2-51: Subsidence Monitoring Locations  |        |
| Figure 2-52: 1966 Average Well Measurements of Total Dissolved Solids               |        |
| Figure 2-53: 2011-2018 Average Well Measurements of Total Dissolved Solids          |        |
| Figure 2-54: Cuyama Groundwater Basin Historic TDS Levels in Selected Wells         |        |
| Figure 2-55: 1966 Average Well Measurements of Nitrate as Nitrogen                  |        |
| Figure 2-56: 2011-2018 Average Well Measurements of Nitrate as Nitrogen             |        |
| Figure 2-57: 2008-2018 Average Well Measurements of Arsenic, ug/L                   |        |
| Figure 2-58: Sites with Water Quality Concerns                                      |        |
| Figure 2-59: Locations of GAMA Sample Locations                                     |        |
| Figure 2-60: USGS 2013c Water Quality Monitoring Sites                              |        |
| Figure 2-61: Assigned Surface Water Flow Reaches                                    |        |
| Figure 2-62: NCCAG Dataset in the Cuyama Basin                                      |        |
| Figure 2-63: Groupings Used in GDE Analysis   |        |
| Figure 2-64: Probable and Non-Probable GDEs   |        |
| Figure 2-65: Generalized Water Budget Diagram                                       | 2-123  |
| Figure 2-66: 50-Year Historical Precipitation and Cumulative Departure              |        |
| from Mean Precipitation   |        |
| Figure 2-67: Historical Average Annual Land Surface Water Budget                    |        |
| Figure 2-68: Historical Land Surface Water Budget Annual Time Series                | .2-131 |
| Figure 2-69: Historical Average Annual Groundwater Budget                           | .2-132 |
| Figure 2-70: Historical Groundwater Budget Annual Time Series                       | .2-133 |
| Figure 2-71: Current and Projected Average Annual Land Surface Water Budget         | .2-134 |
| Figure 2-72: Current and Projected Land Surface Water Budget Annual Time Series     | .2-134 |
| Figure 2-73: Current and Projected Average Annual Groundwater Budget                | .2-135 |
| Figure 2-74: Current and Projected Groundwater Budget Annual Time Series            | .2-136 |
| Figure 2-75: Projected Average Annual Land Surface Water Budget with Climate Change | .2-138 |
| Figure 2-76: Projected Land Surface Water Budget with Climate Change                | 2 420  |
| Annual Time Series  |        |
| Figure 2-77: Current and Projected Average Annual Groundwater Budget                |        |
| Figure 2-78: Current and Projected Groundwater Budget Annual Time Series            |        |
| Figure 4-1: Well Completion Diagram   |        |
| Figure 4-2: Central Basin with Combined Hydrograph                                  |        |
| Figure 4-3: Cuyama Groundwater Basin Wells with Monitoring Data Provided by DWR     |        |
| Figure 4-4: Cuyama Groundwater Basin Wells with Monitoring Data Provided by USGS    |        |
| Figure 4-5: Cuyama Groundwater Basin Wells with Monitoring Data Provided by SBCWA.  | 4-13   |





| Figure 4-6: Cuyama Groundwater Basin Wells with Monitoring Data Provided by SLOCFC&WCD               | 4-15 |
|--|------|
| Figure 4-7: Cuyama Groundwater Basin Wells with Monitoring Data Provided by VCWPD.                   | 4-17 |
| Figure 4-8: Cuyama Groundwater Basin Wells with Monitoring Data Provided by CCSD                     | 4-19 |
| Figure 4-9: Cuyama Groundwater Basin Wells with Monitoring Data Provided by Private                  |      |
| Landowners   | 4-21 |
| Figure 4-10: Cuyama Basin NWQMC, USGS, ILRP Water Quality Monitoring Sites                           | 4-24 |
| Figure 4-11: Cuyama Basin GAMA/DWR Groundwater Quality Monitoring Sites                              | 4-26 |
| Figure 4-12:Cuyama Basin CCSD Water Quality Monitoring Site  | 4-28 |
| Figure 4-13: Cuyama Basin VCWPD Water Quality Sites  | 4-30 |
| Figure 4-14: Cuyama Basin Landowner Water Quality Sites  | 4-32 |
| Figure 4-15: Cuyama Basin Rivers, Streams, and Surface Flow Gages                                    | 4-34 |
| Figure 4-16: Cuyama Well Tiering Criteria  | 4-36 |
| Figure 4-17: Cuyama Basin Groundwater Level and Storage Monitoring  Network Wells by Tier            | 4-38 |
| Figure 4-18: Groundwater Level and Storage Representative Wells, and Other Monitoring  Network Wells |      |
| Figure 4-19: Groundwater Levels Monitoring Network Data Gap Areas                                    | 4-49 |
| Figure 4-20: Cuyama Basin Groundwater Quality Monitoring Network Wells                               | 4-57 |
| Figure 4-21: Identification of Groundwater Quality Monitoring Data Gaps                              | 4-59 |
| Figure 4-22: Current Subsidence Monitoring Stations In and Around the Cuyama Basin                   | 4-62 |
| Figure 4-23: Subsidence Monitoring Location Data Gap Areas   | 4-65 |
| Figure 5-1: Threshold Regions  | 5-4  |
| Figure 5-2: Example Hydrograph   |      |
| Figure 5-3: Groundwater Quality Representative Wells   | 5-17 |
| Figure 5-4: Subsidence Representative Locations  | 5-25 |
| Figure 6-1: Screenshot of Opti Platform  | 6-1  |
| Figure 6-2: Screenshot of Opti Login Screen  | 6-4  |
| Figure 6-3: Screenshot of Data Entry Tool Interface  | 6-6  |
| Figure 6-4: DMS Map View   | 6-8  |
| Figure 7-1: CBGSA Management Areas   | 7-2  |
| Figure 7-2: Groundwater Recharge Potential in Santa Barbara County                                   | 7-11 |
| Figure 7-3: Potential Change in Groundwater Storage from Precipitation Enhancement                   | 7-14 |
| Figure 7-4: Glide Path for Central Basin Management Area Groundwater Pumping Reductions              |      |
| Figure 8-1: Implementation Schedule  |      |
| 1 IYUI C U- 1. IIIIPIGIIIGIIIAIIUII OOLIGUUG   |      |





#### **Appendices**

Appendices are organized by chapter at the end of this document.

#### **Chapter 1**

| Appendix A | Preparation Checklist for Groundwater Sustainability Plan Submittal |
|------------|---|
| Appendix B | Notification of Intent to Develop a Groundwater Sustainability Plan |
| Appendix C | Notice of Decision to Form a Groundwater Sustainability Agency      |
| Appendix D | Groundwater Sustainability Plan Summary of Public Comments and      |
|            | Responses   |

#### Chapter 2

- Appendix A Cuyama Valley Groundwater Basin Hydrographs
- Appendix B White Paper: Subsidence and Subsidence Monitoring Techniques
- Appendix C Cuyama Basin Water Resources Model Documentation
- Appendix D Technical Memorandum: Verification of NCCAG-Identified Locations

#### **Chapter 4**

- Appendix A Monitoring Protocols for Groundwater Level Monitoring Network
- Appendix B USGS Ground-Water Data-Collection Protocols and Procedures for the National Water-Quality Assessment Program: Collection and Documentation of Water-Quality Samples and Related Data

#### **Chapter 5**

Appendix A – Hydrographs Showing Minimum Thresholds, Measurable Objectives and Interim Milestones

#### **Chapter 6**

Appendix A – Cuyama Basin Data Management System Opti Data Public User Guide





#### Acronyms

**CMWC** 

μg/L micrograms per liter

ΑF acre-feet (foot) AFY acre-feet per year

AHOGS automated high output ground seeding system site

Basin Cuyama Valley Groundwater Basin

**BMP** best management practice

California Statewide Groundwater Elevation Monitoring Program CASGEM Program

CBGSA Cuyama Basin Groundwater Sustainability Agency

**CBWD** Cuyama Basin Water District

**CBWRM** Cuyama Basin Water Resources Model

CCR California Code of Regulations

CCSD Cuyama Community Services District

California Department of Fish and Wildlife **CDFW** 

CEDEN California Environmental Data Exchange Network

CEQA California Environmental Quality Act

**CGPS** continuous global positioning system

Cuyama Mutual Water Company Cuyama Valley Hydrologic Model CUVHM

DEM digital elevation model

DMS data management system

DWR California Department of Water Resources

EKI **EKI** Environment & Water, Inc.

EPA United States Environmental Protection Agency

**GAMA Program** California Groundwater Ambient Monitoring and Assessment Program

**GDE** groundwater dependent ecosystem

**GPS** global positioning system GSE ground surface elevation

**GSP** Groundwater Sustainability Plan **HCM** hydrogeologic conceptual model





#### **Acronyms**

ID identification number

ILRP Irrigated Lands Regulatory Program

IM interim milestone

InSAR interferometric synthetic aperture radar

IRWM Integrated Regional Water Management

LID low impact development

LiDAR light detection and ranging

Ma million years

MCL maximum contaminant level

mg/L milligrams per liter

MO measurable objective

MSC Master State Well Code

MT minimum threshold

NAVSTAR Original name for the Global Positioning System; satellite-based

radionavigation system owned by the United States government and

operated by the United States Air Force

NCCAG Natural Communities Commonly Associated with Groundwater

NEPA National Environmental Policy Act

NMFS National Marine Fisheries Service

NRCS Natural Resources Conservation Service

NWIS National Watershed Information System

NWQMC National Water Quality Monitoring Council

PBO Plate Boundary Observatory

PG&E Pacific Gas & Electric

PRISM Parameter-Elevation Regressions on Independent Slopes Model

RCD Resource Conservation District

RWQCB Regional Water Quality Control Board

SAGBI Soil Agricultural Groundwater Banking Index

SBCF Santa Barbara Canyon Fault

SBCWA Santa Barbara County Water Agency





#### **Acronyms**

SGMA Sustainable Groundwater Management Act

SLOCFC&WCD San Luis Obispo County Flood Control & Water Conservation District

SR State Route

TDS total dissolved solids

TSS Technical Support Services

UNAVCO University NAVSTAR Consortium, a non-profit, university-governed

consortium facilitating geoscience research and education using geodesy

USGS United States Geological Survey

VCWPD Ventura County Watershed Protection District

VWSC Ventucopa Water Supply Company

WDL Water Data Library

WMP Water Management Plan